

**Cover page**

Running head: **The P3 Framework for Location-Based Community Systems**

Title:

# **People-To-People-to-Geographical-Places: The P3 Framework for Location-Based Community Systems**

**Quentin Jones<sup>1</sup>, Sukeshini A. Grandhi<sup>1</sup>, Loren Terveen<sup>2</sup>, and Steve Whittaker<sup>3</sup>**

<sup>1</sup> *Department of Information Systems College of Computing Sciences,  
New Jersey Institute of Technology,  
University Heights Newark New Jersey, USA 07102  
Email: {qjones, sg49}@njit.edu*

<sup>2</sup> *Department of Computer Science and Engineering  
University of Minnesota  
4-192 EE/CS Building  
200 Union Street SE  
Minneapolis, MN 55455  
Email: [terveen@cs.umn.edu](mailto:terveen@cs.umn.edu)*

<sup>3</sup> *Department of Information Studies  
University of Sheffield  
Western Bank, Sheffield, S10 2TN, UK  
Email: [s.whittaker@sheffield.ac.uk](mailto:s.whittaker@sheffield.ac.uk)*

# People-To-People-to-Geographical-Places: The P3 Framework for Location-Based Community Systems

Quentin Jones, Sukeshini A. Grandhi  
New Jersey Institute of Technology  
{qjones, sg49}@njit.edu

Loren Terveen  
University of Minnesota  
terveen@cs.umn.edu

Steve Whittaker  
University of Sheffield  
s.whittaker@sheffield.ac.uk

## Abstract

In this paper we examine an emerging class of systems that link **People-to-People-to-Geographical-Places**; we call these **P3-Systems**. Through analyzing the literature, we have identified four major P3-System design techniques: **People-Centered** systems that use either **absolute user location** (e.g. *Active Badge*) or **user proximity** (e.g. *Hocman*) and **Place-Centered** systems based on either a representation of people's **use of physical spaces** (e.g. *ActiveMap*) or on a **matching virtual space** that enables online interaction linked to physical location (e.g. *Geonotes*). In addition, each feature can be instantiated synchronously or asynchronously. The P3 framework organizes existing systems into meaningful categories and structures the design space for an interesting new class of context-aware systems. It also suggests additional challenges and opportunities.

## 1.0 Introduction

The promise of context-aware computing, as originally conceptualized, was the development of systems that sense aspects of their environment in order to “adapt according to the location of use, the collection of nearby people, hosts, and accessible devices, as well as to changes to such things over time” (Schilit et. al. 1994). In other words, the “context” of a context-aware system was relevant **people, places, and things** in its physical environment. Over time, researchers tried to include more contextual information in systems, including richer aspects of the physical environment (Brown et. al. 1997) and users’ physical, social, emotional, or informational state (Dey 1998). Similarly, the functions that context-aware applications may implement were expanded to include: (1) the presentation of contextualized information and services; (2) context based automatic execution of services; and (3) the attaching of contextual information for later retrieval (Dey et. al 2001).

Considering the broadness of the term ‘context-awareness’, it is difficult for any single research effort to engage the term as a whole. Instead, we believe it is necessary to focus on smaller functional definitions. This is what we do here, by exploring systems that link **People-to-People-to-geographical-Place**, which we refer to as P3-Systems (Jones and Grandhi 2004). In this way we focus on systems concerning the *people* and *places* of Schilit et al.’s (1994) original context-aware definition. While not all P3-Systems are context-aware applications in the sense of “adapting” according to the context of use (Schilit et al., 1994), they nevertheless all provide contextual information through different functions as described above. A number of systems that have been labeled ‘context-aware’ have also been labeled ‘community applications’, as they highlight and utilize people’s connections to each other in physical space. Examples of such systems include *Active Badge* (Want & Hopper 1992; Want et. al. 1992) and *ActiveMap* (McCarthy & Meidel 1999), which allow people to locate others within buildings and various *digital graffiti* systems (e.g. *E-Graffiti*; Burrell & Gay 2001) which associate digital information with physical locations.

As we shall detail, there are a growing number of P3-Systems and a diversity of approaches. However, the area lacks a firm foundation; in particular, there is no agreed-upon conceptual framework for describing the design space. Without such a framework, it is difficult to characterize precisely what different systems have in common, let alone to explore systematically the range of possible designs. A

framework can identify key challenges and suggest important research opportunities. As our later discussion shows, many existing P3-Systems do not adapt according to the user's physical and or social environment, and are thus not context-aware applications. This shows both how the P3-System framework takes a different perspective on the design space, and highlights the need for a more thorough examination of how these systems can be made adaptive to their context (particularly in regards to the management of the sharing of personal location data which is discussed in detail in section 5).

The remainder of the paper is organized as follows. We first briefly examine the relationship between place and people in social behavior. We next present our analytic framework for organizing the P3 design space, introducing the dimensions that define the space and discussing prominent existing systems that illustrate different points of the space. We then show how the framework can help guide design and research. We do this by first identifying a few key tasks such systems support and how they tie to the framework. We then show how the framework and associated tasks can be used to inform our understanding of privacy issues. We conclude with a discussion of how the framework highlights major socio-technical research and design challenges that confront the development and deployment of P3-Systems.

## 2.0 People and Places

The relations between people and places have been addressed by research on 'community'. This research indicated that historically people's interactions and social relations were highly local, grounded in and organized around shared physical space. People got together to talk. They lived their lives within a few miles of where they were born, forming friendships, marrying, raising their children, and dying. A wave of writing by community theorists at the beginning of the 1960s took these place-mediated interactions as essential to a social relations / community and saw increased physical mobility and use of technology as a threat to it. (Nelson et al. 1960, Stern 1960)

However, the emergence of "online communities" in the 1990s showed that social relations could be separated from shared physical space. It is possible to develop relationships and form groups (Wellman, et. al. 2001; Gillepsie & Williams 1988), even if the "lower bandwidth" of computer-mediated communication channels makes this process take longer (Walther 1992; Walther et al. 1994; Parks & Roberts 1998).

Online communities have been the target of much technical innovation and research. One major line of work is based on the idea of a *social network*, which represents groups of people and relationships between them. Sociologists formalized this intuitive notion, using mathematical graph theory to represent and analyze concepts such as the strength of social ties, central and peripheral social roles, information flow, and access to resources (Freeman, 1998; Granovetter, 1973; Wasserman 1994). These techniques also have been used to analyze computer-mediated communication (e.g. Garton et. al. 1997).

Many software applications have either built directly on, or have been inspired by, social network analysis. Whittaker et al (forthcoming) designed a system for communication and contact management based on the idea of a *personal* social network. Kautz et. al. (1997) and McDonald (2003) created *expertise recommenders* that used social networks to find experts who were socially close to an information seeker. Several researchers (Donath et. al. 1999; Sack 2000; Smith & Fiore, 2001) have designed social visualization tools that graphically depict structural information about online discussion groups, including relationships derived from communication patterns. Other researchers have created *social matching* systems (Terveen & McDonald forthcoming) to help people form new relationships and extend networks.

More recently, commercial *artificial social network tools* such as Friendster, Orkut, Tribe, LinkedIn, Huminty, and Spoke have built on ideas from all these areas, allowing users to create, browse, message to, and extend friendship networks. There also are open source projects (e.g., foaf.org) that allow people to represent interpersonal relationship data in a machine-readable manner.

While the work on online communities clearly is productive, our focus here is on community and social software that re-establishes the connection to physical place. This emphasis is based on the realization that there are a number of important ways in which physical places affect and influence social behavior, including the following:

- 1) A shared physical environment promotes informal social communication (Kraut et al., 1990, Whittaker et al., 1994). Physical proximity increases the likelihood of impromptu social conversations and of forming relationships (Whyte 1956). Many organizations exploit this in the design of their workplaces, e.g., by designing shared public spaces where people can “bump into each other”.
- 2) Places can also help to co-ordinate complex social activities. Extensive research on awareness has shown how peripheral information about the conversations and actions of others can help people manage complex team activities (Cadizz et. al. CSCW 2002).
- 3) Places constrain and afford activities. Places are simultaneously configured for certain activities and make it hard for other activities that are non-typical to the place to occur (Genereux *et al.*, 1983; Kramer 1995). For e.g., a pub might support socializing, a church worship and perhaps community meetings, and a neighborhood store buying necessities and maybe running into friends and neighbors.
- 4) Places act as social filters for people. Not everyone goes to every place, making some places familiar and safe for certain people but not others. This holds true even for people who do not explicitly “know” each other (cf. Milgram’s notion (1977) of the “familiar stranger”). This also means that the best way to socialize with certain particular people may be to visit the places they frequent.

Not only are individual places important, there also are many situations in which increased or improved communication within a local geographical context is desirable. For example, a university administrator may see increased communication between students, faculty, and staff as beneficial to campus life. And informal communication between different levels of employees has been demonstrated to be important for innovation in high-tech companies (Allen 1977). Similarly, neighborhood and community activists may consider increased interactions between local residents valuable.

Over the past decade, the emergence of new location technologies has enabled the re-connection of community software to physical place. For example, the Global Positioning System (GPS) allows users to be located outdoors, and other technologies from WiFi triangulation to active badges to video sensing allow users to be located indoors. In other words, new technology enables systems to incorporate two of the original and fundamental aspects of context-aware computing – *place and people* – in new and powerful ways.

### **3.0 The P3 Framework: Systems That Link People-To-People-To-Geographic-Place**

A framework that defines the design space for a class of systems serves analytic and design purposes. It enables better understanding and comparison of existing designs as well as identifying opportunities for new exploration and research. First, however, the class of systems under discussion must be recognized as distinct. Until recently, information systems that systematically link **people-to-people-to-geographic-place** have not been taken as a distinct category (Jones and Grandhi 2004). This may be due to the relatively recent availability of the enabling technology, the variety of different techniques prototyped, and the number of different sub-areas – each with their own conferences and journals – in which work has

been done. So, while terms such as “context-aware”, “location-based services”, “pervasive computing”, “proximity computing”, “augmented reality”, “virtual reality”, “mixed reality”, and “teleportation” capture certain technologies and perspectives, they do not reveal the functional similarities of these systems.

We believe – and we detail below – that sufficient development has occurred to justify the use of the new collective term, P3-Systems. Our proposal of **P3-Systems** – **people-to-people-to-geographic-place** – characterizes the class of systems as essentially community systems (people-to-people) that are tightly organized around and utilize the notion of geographic place.

The P3-Systems conceptual framework defines a 2 x 2 x 2 design space (Table 1.). The first dimension distinguishes **People-Centered** from **Place-Centered** techniques<sup>1</sup>. People-Centered techniques use location information to support interpersonal awareness, enable informal communication, and identify previously unknown affinities between users. Place-Centered techniques link virtual spaces to physical locations, using social information to aid place-based navigation and decision making.

Both People-Centered and Place-Centered techniques can be subdivided, each along a different dimension. Some People-Centered techniques use **absolute** user locations, e.g., latitude, longitude and altitude, which may or may not be described in terms of place (e.g. Fred’s office). Others operate in terms of relative location, or **proximity** between users. The difference is between applications that tell users where their buddies are and those that only tell users which buddies are close by. Buddies are a privileged set of individuals whom the users want to monitor. We can also sub-divide Place-Centered techniques. Some represent people’s **current or past use** of a physical location, e.g., showing something about who is on a university campus now. Others **associate a virtual space with a physical location**. Both traditional community networks and “digital graffiti” systems fall into this class.

The final dimension is an extension of the standard CSCW distinction between **synchronous** and **asynchronous** interaction. We go beyond the traditional application of the distinction to include user-location information. Thus, we also refer to synchronous and asynchronous “location awareness” to distinguish techniques that provide information about *current* user location or activity within a place from those that provide *historical* information. This location awareness is not intrinsically reciprocal: a system could provide a user with a buddy’s location without providing the buddy with the user’s location. Synchronous communication and location awareness data are created with the expectation that they will be processed in near real time, while asynchronous communication and location awareness data are produced with the expectation of an unpredictable delay between data creation and consumption. Therefore, synchronous and asynchronous applications are properly viewed as two ends of a continuum, rather than as discrete alternatives.

---

<sup>1</sup> We refer to *techniques* rather than *systems*, because a single system can implement multiple techniques. We’ll discuss various examples of this.

P3-System Design Approaches		Synchronous Communication or Location Awareness	Asynchronous Communication or Location Awareness
People-Centered	Absolute User Location	(1) Utilizes remote awareness of current user location	(2) Utilizes people's location histories
	Co-location / Proximity	(3) Utilizes real-time user co-location for the exchange of social information	(4) Utilizes co-location history to enable future interactions.
Place-Centered	Use of Physical Spaces by People	(5) Utilizes online representation of user's current use of physical spaces.	(6) Utilizes history of people's use of a particular space
	Use of Matching Virtual Places	(7) Utilizes synchronous online interactions spaces related to physical location.	(8) Utilizes asynchronous online interactions related to physical location.

**Table 1: The P3-Systems Framework, summarizing the 8 system techniques.**

Application of these distinctions generates an 8 cell table. We now consider the 8 different types of system techniques, illustrating each through a discussion of several prominent systems that implemented the technique. Note that a particular system may implement multiple techniques.

### 3.1 People-Centered: Absolute User Location: Synchronous

*Active Badge* (Want & Hopper 1992; Want et. al. 1992), one of the earliest P3-Systems, provides real-time information about user locations, and therefore illustrates this category. Conceived, designed and prototyped between 1989 and 1992, individuals wear an “active badge” that tracks their location within an appropriately equipped building. The badge implements location tracking by transmitting a unique infrared signal every 10-15 seconds that is detected by one or more networked sensors. A user can query another user to find both their current location and a list of all locations they have been reported at in the last five minutes.

*Active Badges* were designed to facilitate communication. For example, phone calls could be routed to the phone nearest to an individual based on the last reported location. The system also provided an online community space that could be used to locate users without using a public-address system or telephoning all possible locations at which they might be found.

The remote location function of *Active Badges* could support various applications. For example, the “status” information for a buddy in an IM client could be augmented with the buddy's location (e.g. the Lemming application of Hong et. al. 2004). Some commercial services already allow tracking of specified mobile phone numbers in a community context. For example, *Ulocate* (<http://www.Ulocate.com/>) is designed to let family members track each others' location on a map. Note that such tracking applications become P3-Systems only when they enable sharing location information within a community of users. Therefore, neither the current version of GPSTracks, the pet tracking application <http://www.gpstracks.com/>, nor Wherify's ‘GPS locator for kids’, is a P3-System.

The remote location approach could be reversed: rather than one user seeking the location of another as part of the process of initiating interaction, the system could provide location information to the call recipient about the initiator of an interaction. For example, telephone caller-ID information could be extended with the caller's location. The *ActiveCampus Explorer* (Griswold et. al. 2003) uses this approach: users can let the system index their instant messaging messages with a description of their current location.

### 3.2 People-Centered: Absolute User Location: Asynchronous

A number of systems implement techniques from this category. Examples include: *Ulocate's* history function, group calendars that describe the location of individuals over time fall, and some *moblogs* (mobile phone web logs) that contain time- and location-stamped pictures. In a sense all these applications have similar functions to group calendars (Palen and Grudin 2002). The aim is to provide information about past (and possibly future) locations of a set of buddies. Such information can be used for scheduling, coordinating meetings and some security applications.

### 3.3 People-Centered: Proximity: Synchronous

This category has been explored by quite a few commercial systems as well as research prototypes. The *Cybiko* ([www.cybiko.com](http://www.cybiko.com)) device uses radio frequency communication to let nearby individuals interact electronically. The *Hummingbird* device supports social awareness between co-located people (Weilenmann & Holmquist 1999). It gives group members continuous auditory and visual indications of other group members in the vicinity; these cues are designed to enhance opportunistic face-to-face interactions.

*Meme Tags* and *Community Mirrors* (Borovoy et al 1998) also support synchronous interaction between co-located people. The system includes both a personalized online space (individual *Meme-Tags*) and a community space (*Community Mirrors*). A “meme” is an idea or opinion realized as a short piece of text. Users can create their own memes and share them with other nearby users. *Community Mirrors* convey a variety of information about inter-user meme exchanges in near real time. They display the meme texts, popular and dying ideas, as well as information about group dynamics, such as the “cliquishness” of the gathering. *Community Mirrors* also give users a sense of what other participants know. The system design goal is to facilitate the formative stages of interaction by giving people common reference points for conversation. To a similar end, *Neighborhood Window* (McCarthy et al 2003) used active badge technology to identify users standing in front of a large display, compute shared interests of these users, and then depict them on the display.

Co-location can also be used specifically for *social matching*, bringing people together for interaction and possible formation of a relationship (Terveen & McDonald forthcoming). Most social matching systems (at least most commercial systems) support dating and romance rather than general interaction, but the techniques and issues are largely the same (Terveen & McDonald forthcoming). The *LoveGety* device (Reuters / Wired News 1998) was an early example. When a blue (male) *LoveGety* and a pink (female) *LoveGety* are within 15 feet of one another, they beep and flash, telling the user that another *LoveGety* owner is close by. Codes such as “talk”, “karaoke”, and “get2” are used to communicate what the user is interested in. The *BEDD* mobile phone application available in Singapore (Straits Times 2004) lets users create profiles, get matched with others within a 20 meter radius, and then exchanges contact information for matched users. Another example is *Proxy Lady*, which runs on a PDA equipped with a radio transceiver (Dahlberg et. al. 2000). *Proxy Lady* lets users associate information items (e.g. emails) with other people, called “candidates for interaction.” When a candidate for interaction is in the proximity, *Proxy Lady* notifies and provides the candidate with the associated information item (e.g. the email message).

*Social Net* infers affinities between users from patterns of co-location over time (Terry et. al. 2002) resulting in it operating both synchronously and asynchronously. This is done by recording encounters between co-located users, as well as their time and duration. Periodically, these data are examined, and if a suitable pattern of co-location is observed between one user and other, the system adds each user to the other’s list of “unknowns”. This is one of two lists the system maintains, the other being a list of user-specified “friends”. *Social Net* uses the friends list to look for a mutual acquaintance to introduce two

people with a potential affinity who are unknown to each other. Every time two “friends” meet, their devices exchange lists of unknowns. If friend A is a friend of one of friend B’s “unknowns”, then friend A will be prompted to introduce friend B and the “unknown”.

### **3.4 People-Centered: Proximity: Asynchronous**

Often proximity-based techniques combine synchronous information exchange and asynchronous processing. Social Net was one such system. Another is *Hocman*, a mobile peer-to-peer application that supports social interaction between motorcyclists (Esbjörnsson et. al. 2003). *Hocman* users create HTML pages with personal information about themselves and their bikes, which are exchanged with other *Hocman* bikers whom they encounter. *Hocman* also offers asynchronous services, in particular the ability to browse the exchanged pages at one’s leisure. Similarly, *RoamWare* (Wiberg 2001) uses proximity to semi-automatically detect ad-hoc meetings and supports synchronous note taking for these meetings. After the fact, meeting notes can be shared asynchronously using a suite of CMC tools available for users’ desktop computers. *FolkMusic* (Wiberg 2004) uses proximity to trigger music sharing services between co-located individuals. The “Jabberwocky” devices of the “Familiar Stranger” project (Paulos & Goodman 2004) exchange IDs when users are nearby; these data are processed to make apparent to users previously hidden information such as how many “familiar strangers” are around or how familiar a place is (based on previous presence of “familiar strangers”).

No existing proximity-based systems that we know of rely solely on asynchronous techniques. As just discussed, some combine synchronous information exchange with various types of asynchronous processing and services. However, there certainly are opportunities to design systems that rely more on asynchronous processing. One direction is to construct systems that focus on asynchronous (rather than synchronous) use of a shared physical space. An extension is the use of geotemporal histories for social matching. People could be matched based on taking similar routes to work, for example, even if they traveled these routes at different times. These discovered affinities could be presented to users either when they were co-located synchronously or in an online space. Tradeoffs here involve potential for richer interaction vs. privacy and security concerns. We expand on this issue later.

Having completed our survey of the four types of people-centered system techniques, we now move on to place-centered techniques. Recall that they shift the focus from users to locations, by associating virtual spaces with a location to represent relevant information such as current and past users and activities. Place-centered techniques also are divided into four sub-categories, which we consider in turn.

### **3.5 Place-Centered: Use of Physical Space: Synchronous**

The first technique builds virtual spaces that represent information about the current or past use of an associated physical space. It is only the recent development of location technology that enables this technique, so there is less existing work, and our review of this approach will be fairly brief.

Several systems provide visualizations of the current use of defined locations and areas. *ActiveMap* lets users visualize the location and movement of others within a workplace environment, providing large-scale, real-time awareness (McCarthy & Meidel 1999). The application shows a map of the physical layout of the workplace. Superimposed over the map are images of the faces of employees in the locations in which they were last observed. The *ActiveCampus Explorer Map* overlays campus maps with avatars showing the location of a user’s buddies (Griswold et. al. 2003). The *ActiveBadge* system provides a similar feature that shows the user currently in a specified location. And a number of operators of Wi-Fi networks provide visualizations of the physical location of users connected to their network, although these users typically are anonymous. *CMUSky* is one example ([http://www.cmusky.org/map\\_usercentered.html](http://www.cmusky.org/map_usercentered.html)). It shows usage of CMU’s Wireless Andrew System

### **3.6 Place-Centered: Use of Physical Space: Asynchronous**

It is also possible to visualize the history of use a physical space. Online calendars providing information about the usage of a room do this. Using location technology, such systems can be extended to include a mechanism for noting attendance in a physical space and making the data available in a persistent format. This is similar to the people-centered asynchronous systems; however, here the focus is on a defined physical place rather than a defined set of people (say, one's buddies). The designers of *FolkMusic* (Wiberg 2004) intend to use GPS receivers to map audio traces left by individuals to geographic locations, resulting in music files being associated with specific locations. The result will be a labeling of a physical space by the musical preferences of people who use the space in question.

### **3.7 Place-Centered: Matching Virtual Space: Synchronous**

Synchronous online interaction spaces used by community networks and digital cities are of this type.

Community networks aim to support interaction among geographical neighbors (Schuler 1994). Examples range from simple email lists for residents of a small township to MOOsburg, a community network system for Blacksburg, Virginia (Carroll and Rosson 2003). MOOsburg provides a variety of tools including an interactive map that can be panned or zoomed to locate and navigate to virtual representations of geographical places, a related chat area, and a location-linked web board.

Digital cities integrate urban information and create public online spaces for people living or visiting those cities. For example, America Online's Digital City, Inc. service (<http://digitalcity.com>) provides online interaction spaces for local chat and personals in addition to standardized location-relevant content such as restaurants, amusement parks, airport information and shopping. 'Digital city 2' projects in Europe and Japan use high-fidelity, Internet-based simulacra of cities, updated continuously via cameras and other sensors to provide data (Ishida 2002). Digital City Kyoto, like many digital city projects, addresses a wide range of goals spanning technology development, new information services and applications, and support for community life (Ishida, 2002; <http://www.digitalcity.gr.jp/>; Aurigi 2000).

Immersive online environments increase the fidelity of the representation of physical geography by allowing interactions to be associated with specific areas of cartographic visualizations. Wireless network coverage also increases geographic specificity of interaction by both enabling and limiting the geographic area in which a set of online interactions can occur. For example, Wi-Fi (802.11) access points can offer community chat (e.g. Michigan wireless AP chat) that is limited to the geographic range of the access points in question. Interactions can be tied to a place through visualizations of the people using the space. The *ActiveCampus Explorer* system does this by allowing nearby buddies displayed on a community map to be messaged (Griswold et al 2003). This technique is Place-Centered rather than People-Centered because the interaction space is not created by inter-personal proximity; rather it is situated within an online map representing a physical area, i.e., the campus.

### **3.8 Place-Centered: Matching Virtual Space: Asynchronous**

This is probably the most common type of online interaction space used by community networks and digital cities. Standard asynchronous communication tools such as email lists and web boards are used to support interaction for or about a particular physical location. Some interesting system designs developed outside of community networks and digital cities include: (1) spatially (latitude/longitude) addressable web based bulletin boards that enforce the geocoding of messages (e.g., IBM's *World Board*, Spohrer 1999); (2) "community geoblogs" (<http://www.brainoff.com/geoblog/>); and (3) digital graffiti systems that allow digital messages to be linked to physical locations. These digital notes behave like electronic Post-

its, visible to authorized users on their mobile devices when they enter the vicinity (Brown 1995) or remotely (Burrell & Gay 2001). Systems that allow these messages to be read remotely index the messages by locations. These can then be searched or accessed by navigating online maps. Example systems include *E-Graffiti* (Burrell & Gay 2001), *Geonotes* (Espinoza et. al. 2001), and the ‘graffiti’ function of the *ActiveCampus Explorer* (Griswold et. al. 2003).

### P3-Systems Framework Summary

The P3-System framework outlined in this Section helps us describe the design space for place-sensitive community systems by distinguishing between eight basic techniques to providing location contextualized information. Table 2 graphically summarizes the framework by placing a small number of representative systems and techniques in each of the 8 cells of the framework. It hints at the possibility to be examined further below, that each of the different P3-System approaches is likely to support different types of tasks, such as maintaining of awareness of the location of buddies or the navigation of places. A consequence of these differences is a need for different types of interface designs, and different associated concerns in regards to privacy. We will examine these claims in greater detail in the next two sections.

**Table 2 Representative P3-Systems and Techniques**

P3-System Design Approaches		Synchronous Communication or Synchronous Location Awareness	Asynchronous Communication or Asynchronous Location Awareness
People-Centered	Absolute User Location	Active Badge – FIND Lemming - IM buddy location labels	Ulocate – location history
	Co-location / Proximity	LoveGety – Match Alerts Social Net – potential new co-located friend alert	Hocman- webboard supported by motorcyclist co-location history
Place-Centered	Use of Physical Places by People	Active Badge – LOOK ActiveCampus Maps CMUSky	FolkMusic (Location-based music history) Online Room Calendars
	Use of Matching Virtual Places	Wi-Fi AP Chat Digital Cities And Community Network Chat	GeoNotes, ActiveCampus Graffiti

## 4.0 Tasks

The aim of this section is to demonstrate the utility of the framework by showing how various P3 user tasks can be derived from it. More specifically, we will map particular tasks to cells in Table 3. Following the framework, we identify two main classes of task, *people-centered* and *place-centered*. These include many core CSCW tasks (albeit cast in the context of P3-Systems) such as awareness and informal communication, coordination, social matching, and social navigation. People-centered tasks include meeting, communicating with, or tracking other people, and utilize place information to achieve these essentially social goals. Place-centered tasks flip the perspective, focusing on navigation within and decision-making relative to a place and associated activities, with social information serving as a resource for these tasks.

Table 3 summarizes relationship between techniques and tasks; for each technique, we list one or two important tasks and briefly characterize the form they take here. The rest of this section elaborates on these relationships. (For ease of exposition, we label the different techniques from 1 to 8.)

**Table 3 P3-Systems Framework and Representative Tasks**

P3-System Design Approaches		Synchronous Communication or Synchronous Location Awareness	Asynchronous Communication or Asynchronous Location Awareness
People-Centered	Absolute User Location	1. Utilizes current location of particular users. <ul style="list-style-type: none"> <li>• Informal communication with buddies: Where is X now? Is Y running late, and when will she arrive?</li> <li>• Security: Where is Z now?</li> </ul>	2. Utilizes particular people's location histories. <ul style="list-style-type: none"> <li>• Coordinating / scheduling (via analysis of history): When is X usually around?</li> <li>• Security: Where has Y been?</li> </ul>
	Co-location / Proximity	3. Utilizes real-time user co-location. <ul style="list-style-type: none"> <li>• Social matching: Who is close to me now? Is there anybody around whom I'd like to meet?</li> <li>• Security: Who is nearby?</li> </ul>	4. Utilizes co-location history. <ul style="list-style-type: none"> <li>• Social matching: who has geo-temporal routines like me?</li> <li>• Social accounting: How much time did I spend with x? When did I last meet X?</li> </ul>
Place-Centered	Use of Physical Places by People	5. Utilizes online representation of user's current use of physical spaces. <ul style="list-style-type: none"> <li>• Task Coordination: Is anyone in this place now that might help with a place-based task, e.g., get me a coffee, pick up a printout, or reboot a machine?</li> <li>• Social Navigation: How busy is this place now? Who is in this place now? What music is playing there now? How fast is traffic moving on various routes?</li> </ul>	6. Utilizes history of people's use of a particular space. <ul style="list-style-type: none"> <li>• Task Coordination: Does anyone I know go to this place, so I might request them to do an errand for me?</li> <li>• Social Navigation: Does this place tend to be busy at specific times. Who tends to go to this place? Do people like me use this place? What music is typically listened to here?</li> </ul>
	Use of Matching Virtual Places	7. Utilizes synchronous online spaces related to physical location. <ul style="list-style-type: none"> <li>• Communication: What are people saying about this place now?</li> <li>• Social Navigation: How do people describe the activities happening here now?</li> </ul>	8. Utilizes asynchronous online spaces related to physical location. <ul style="list-style-type: none"> <li>• Communication: Leave notices about upcoming events, e.g., that person X is giving a talk next week.</li> <li>• Social navigation: What have people said about activities that occur here or services that are offered here?</li> </ul>

#### 4.1 People-centered Tasks

People-centered tasks (cells 1-4 of Table 3) put people at the center. People-centered P3 techniques facilitate these tasks by providing information about location of or proximity between users; in other words, these are People-To-People tasks, with Place used as resource. This information enables enhanced forms of awareness and several types of asynchronous processing that aid users in opportunistic communication or coordination with people they already know, meeting new people, managing interpersonal relationships, and maintaining security.

##### *Opportunistic Communications with Friends and Colleagues*

Informal, opportunistic communication is common – and critical – both for effective work (Kraut & Streeter 1995; Oslon & Olson 2000; Isaacs et. al. 2002) and for maintenance of social relationships (Nardi et. al. 2000, Whittaker et. al. 2002). However, as over time as people's lives have become busier, work practices have shifted, and schedules have become more flexible, informal communication has suffered.

P3-Systems that use location information – absolute or proximity-based – can help. Consider several examples:

- **(Cell 1)** A system that tells you when your colleagues are at work – whether a place-enhanced IM system or a simple notification system – would both remind you of their presence and enable you to drop by their offices.

- **(Cell 3)** A system that told you when you were close to your colleagues would have similar effects; this might be most useful on large, spread-out corporate campuses. And knowing that your friends were close to you when you were out on the town or at the mall would give you the chance for enhanced social interaction.

We also note that location information can be used to avoid opportunistic communication. In a recent empirical study (Jones et. al. 2004), we found that several people reported wanting to know the location of other members of their work team in order to avoid running into them.

### *Coordination with Colleagues*

Flexible work schedules also have made it harder for people to arrange meetings. Technologies such as online calendars and IM help. Systems that asynchronously process location history can help even more (**cell 2**). For example, a system by Begole et. al. (2002) inferred regularities in people’s work routines (based in part on analysis of their history of being in the office), e.g., when they were and were not likely to be in the office. This enables coordination strategies of the form “let’s schedule the meeting for late afternoon, because that’s when Thom and Felicia are most likely to be around” or “how about we talk tomorrow morning over coffee at the Espresso Royale?” Note that synchronous location information (**cell 1**) also can help in coordinating meetings, e.g., by providing information that one of the participants is running late.

### *Social Matching*

The previous tasks involved enhanced communication and coordination among people who already know each other. However, location information – specifically proximity information – also is a powerful resource for meeting *new* people. We already have discussed how systems like LoveGety, ProxyLady, Social Net, and BEDD supported such social matching, whether by simply matching profiles among people who are close to each other (**cell 3**) or discovering patterns of co-location over time to infer affinities (**cell 4**).

Note that meeting a new person is inherently risky (raising the possibility of at least social awkwardness and perhaps even danger). One way around this is to arrange for the “introduction” process and initial interaction to occur online, with face-to-face interaction happening only when sufficient comfort and trust is achieved. Another approach would be for a system to recommend places to meet, based on both the matched party’s routines (i.e., to find places they both frequent) and the properties of the place (e.g., that they are public, in safe areas, etc.). This is rather like a personalized Meetup.com that suggests where the meetup should occur.

### *Assuring Security*

The last example raised the important issue of maintaining security and safety for oneself and others. One specific application is to track those, such as children or the elderly or cognitively impaired, who may be unable to keep themselves safe (**cell 1**). For this type of tracking system – at least under normal circumstances – awareness alone is the main function, rather than awareness as an enabler of information communication. That is, observers need to communicate with the tracked person only when an emergency arises.

P3-Systems also can help people assure their own security, e.g., by finding nearby acquaintances to walk with to a parking lot late at night (**cell 3**). The Familiar Stranger project (Paulos and Goodman 2004) explored ways to let people assess the nature of a place through the presence of others whom one has been together with in other circumstances (**cell 4**).

### *Social Accounting for Relationship Management*

People expend effort tending to their personal and professional relationships, for example, by contacting colleagues at regular intervals, keeping track of personal details like birthdays and anniversaries, etc. P3-Systems can aid in this process by storing and analyzing co-location history to answer questions such as “how much time have I spent with Syd in the last month?” (cell 4). And by combining this with absolute location, a system can also remind you where and when you’ve met someone.

## **4.2 Place-centered Tasks**

Place-centered tasks shift the focus to making decision about and acting in specific locations. Social information is used as a resource for these tasks; in other words, these are People-to-Place tasks, with (information from and about other) people used as a resource.

### *Social Navigation*

One often needs information about places and associated activities to make some decision (**cells 5, 6, 7 and 8**), even one as basic as deciding which place to go to. Even simple information such as how many people currently occupy a place is useful (**cell 5**). For example, you might decide to go to a restaurant that isn’t busy to avoid a wait. On the other hand, you might prefer to visit a club or pub that *is* busy because this suggests it’s a current cultural hotspot. And systems that analyze place usage logs (**cell 6**) can provide additional guidance, such as determining a good time to schedule an outing to a park, or telling you something about the ambience of a place, such as the type of music that typically is played there.

Information related to activities in a place also can be found by examining digital comments, such as ratings and reviews (**cells 7 and 8**). Such information is useful not just to people deciding whether to visit a place or engage in an activity, but to the place “owner” – for example, a shopkeeper – who wants to understand the users and improve their experience.

Of course, social navigation of online “places” also can be done with analogous types of information; indeed, this is where the metaphor of social navigation originated.

### *Task Coordination*

Some tasks can only be carried out in particular places, e.g. getting a cup of coffee from the local coffee shop, or picking up a newspaper from a newsstand, or putting up a notice in the foyer. If someone isn’t currently at the appropriate place, they may ask someone else who is – e.g., a friend or colleague – to do the task for them. Since these tasks relate to a place, the relevant part of the framework is **cell 5** – a user would focus on the place, and then look for buddies who currently are there or nearby.

As we’ve seen before, systems that analyze history data (cell 6) allow for advance planning, enabling requests like “if you wouldn’t mind stopping by the student union on your way in from the parking garage, would you please pick up a course catalog for me?”

### *Communication about Places and Activities*

In addition to judging a place based on current or typical usage of that place (**cells 5 and 6**), people often want to share opinions and communicate about a place (**cells 7 and 8**). For example, people may want talk to those who are responsible for a place or who are regular users.

### 4.3 Discussion

We have illustrated how key user tasks are manifest in different aspects of the P3 framework. We touch on a few additional issues here. First, note that different P3 techniques can be used to support the same task. This is particularly true when information about people and place coincides. For example, I might locate person X by visualizing the cafeteria (**cell 5**) rather than by tracking X's movements (**cell 1**). Or I might try to meet new people who hang out in the virtual place associated with my favorite music club (**cell 7**), rather than relying on a system to discover our affinity through analysis of co-location patterns (**cell 4**). This is analogous computer mediated communication tools such as email, instant messaging, or discussion boards; each has its particular strengths and prototypical uses, yet there is overlap in the tasks they support.

Second, we have not analyzed in any detail the fact that not all relationships are equivalent. "Buddies" have different status and importance, and this may influence the way that certain tasks are carried out. For example, there may be certain buddies with whom you absolutely must communicate frequently; or there may be others where the relationship is not strong enough to ask them to carry out a task for you.

Finally the task taxonomy has important implications for user interface design. For example, knowing that social navigation is largely a *place-centered* task suggests that interfaces that aim to support such tasks should be organized around a representation of a (real or virtual) place. In contrast, *people-centered* tasks like information communication and coordination require people to be the central organizing principle for the interface, e.g., as in the buddy list of an Instant Messenger.

### 5.0 Privacy

As we have seen, P3-Systems require users to disclose personal information, notably their locations and opinions about various places and place-based activities. Therefore, the issue of maintaining one's privacy is crucial. More precisely, users must be able to assess the implications of revealing personal information and decide that the benefits this yields justify the potential for abuse. We should note that any system that requires users to provide personal data raises many privacy concerns such as security of communications and data storage and the trustworthiness of system owners. Moreover, many papers have explored privacy issues in collaborative computing systems, raising themes such as: the importance of context in an "openness-closedness" spectrum of privacy (Palen and Dourish 2003); the need for legal rules in information handling practices (Westin 1967, Labgheinrich 2001); and the importance of effective communication to users about data collection and handling practices (Langheinrich 2002).

Since others are addressing these issues, we don't discuss them in any more detail here. Further, even when these issues are solved, P3 systems raise distinct privacy issues, so it is these that we must address. We review the privacy issues raised by the different P3 techniques; it is notable that the framework makes it clear that different techniques raise different issues. We also show how different factors of a P3-System's context can influence privacy requirements and inform the design of privacy management policies and tools.

#### Contextual Factors of a P3 System

Consider a generic P3 system: for simplicity of exposition, Figure 1 illustrates an interaction between two people.



**Figure 1: Contextual factors of a P3 system**

The context of the system consists of the following factors:

- Personal properties of the people, including general attitudes and interests and current disposition.
- Properties of the place, e.g., roles and social norms concerning expected behaviors.
- The relationship between the people, including whether they already know each other, whether they have mutual acquaintances, whether they belong to the same organization, etc.
- The relationship between the people and the place, including things such as whether they have a distinct role (a student vs. a teacher in a classroom, a customer vs. a waiter in a restaurant) and their familiarity with the place.

In the following discussion, we shall show that considering these factors can lead to improved privacy management.

### **5.1 People-Centered Systems: Absolute User Location**

The key issue here is that users can be tracked or “stalked”, violating their desire for privacy and perhaps even putting them in danger.

A simple way to avoid these problems is turn off or stop carrying a location sensing device. That was the options ActiveBadge users had, for example. However, turning off or taking off a badge had social consequences: it was a noticeable act that other users could question. Because of these and other social issues, the organization could not develop social conventions for badge use and split into hostile camps of badge wearers and badge skeptics (Harper 1992).

A second way to address privacy concerns is to limit the storage of location history information. The ActiveBadge systems stored only the last hour of data (Want et. al. 1992). While this might limit abuses, it also limited the possibility for the interesting types of asynchronous analysis we have discussed. It would be harder to identify common patterns in different people’s geotemporal routines. And even simple types of information useful for coordination – “Was Steve in the office yesterday?” or “When did Francis last visit the Envision team?” – would be lost.

Some systems explicitly reserve for users the decision whether to disclose their location information. Hong and Landay (2004) described a location-enhanced Instant Messaging system. When a buddy queried a user’s location, users were notified of the request. Users could choose to disclose their location “just this once” or state a rule defining circumstances under which the request should be granted, e.g., only to this requestor between 9am and 5pm Monday through Friday. Once rules have been defined, the system checks incoming requests to see if they are covered by the rules before notifying the user. The ActiveCampus Explorer (Griswold et. al. 2003) also allows users to adjust when they are seen by others using various rules. One of which was reciprocity (“I will let you see my location if you let me see your location”).

While these approaches have their place, they don't solve all problems. For example, they may leave little room for "plausible deniability" ("Oh, sorry, I guess I was out of range"), a key to avoiding embarrassing situations, unwanted interruptions, and tedious social obligations. Further, in active P3 environments, the Hong and Landay approach faces a dilemma. If users handle all request manually, they might be interrupted too frequently; on the other hand, it is unclear whether people can anticipate the consequences of rules, and rules are inherently inflexible.

### *P3 Support*

We believe that the contextual factors we identified above can help systems alleviate these problems. Systems can use the factors in two ways: (1) by making them explicit in user interfaces, and (2) by using them to make decisions automatically. For example, access rules often can be set based on the relationship between a person and a potential viewer of their information. Parents typically have rights to view information about their children, and employers may be able to track their employees when they are driving company vehicles during business hours. Additionally, there are many ways in which the relationship of people to a place is useful, including: Sara might be willing to let her colleagues know that she is *on the way to work*; students might let friends view their location while they are on campus. Further, these rules can be used to enforce social norms. For example, a system could enforce a rule such as campus security can view the identity of individuals in laboratories around campus remotely.

## **5.2 People Centered Systems: Proximity**

One key task that this class of systems serves is social matching. Important challenges include letting users retain control the matching process and making effective introductions between matched users that don't disclose too much information.

The first problem arises in systems that do synchronous matching based on user profiles. Does a young woman waiting for a train want to take the chance of being inundated with notifications? Does she want to have to look around to figure out which of the nearby men is "Zeke57" or "DeputyAndy"? Has she disclosed her identity as soon as she looks around?

Other issues arise when asynchronous processing is added to the mix. Consider a system deployed within an organization that records when people are in proximity. It could analyze these data to identify ad-hoc work groups; this information might be useful for organizational planning and the allocation of resources. However, the same data and the same type of analysis might inappropriately reveal a budding office romance.

To avoid such problems, the Social Net system did not reveal any information to users about their patterns of co-location – in fact, the system doesn't even know **where** the users were co-located, or whether they have met in different locations or just one. The designers acknowledged that this causes problems in introducing matched users. Specifically, there is no way to tell users what it is that the system thinks they have in common. Thus, there is a tradeoff between how effectively matched users can be introduced and the amount of personal information that must be disclosed.

### *P3 Support*

To illustrate how contextual factors can lead to an effective interaction that still preserves user privacy, consider the following scenario.

*One afternoon, Nicole is relaxing at the university cafeteria when her MatchMe device vibrates to indicate she has a message. She sees that it has detected another academic in*

*the vicinity that she might wish to meet, that is male and in his 30s. Though his identity is not revealed, Nicole is informed that they have several friends in common. Nicole is typically hesitant about meeting strangers. However, in this case she sends a message that she is willing to meet.*

*She does this because she knows that Bruce did not initiate the request, rather a trusted computer system, because they share some common interests and common friends which implicitly “vouch for” Bruce, and because she is in a trusted secure ‘place’.*

First, the properties of the place – a relaxed social setting where conversation and noise are accepted – made it acceptable to deliver a notification and likely that Nicole would respond. Second, the fact that Nicole has some common friends with the stranger serves to both vouch for him and increase their common ground.

### **5.3 Place-Centered: Use of Physical Space**

Place-centered systems do not raise as many privacy concerns as do people-centered systems. Anonymous location data often is useful: just knowing that a restaurant or theater is crowded is useful, even without revealing *who* is there. Of course, sometimes it is useful to know the identity of people in a place: when this is desired, the concerns we considered for people-centered systems again arise. However, there is a way in which these concerns may be addressed more easily: places usually have “owners”, as well as fairly clear social norms that include privacy expectations. A friend can just walk over and talk to you if you’re at a coffeeshop, but would knock on your door before coming into your office, and most likely would call ahead or even arrange a time before coming over to your house.

There are exceptions to the usual norms about privacy. I certainly have the right to know who’s in my home, but what if my wife is throwing me a surprise birthday party, and the house is filling up with friends and family? She needs a way to hide this information even from me.

Finally, note that certain system functionality could push place-based systems more toward people-centered systems. If a system lets me search across and within places for particular people, then it becomes a de-facto person-centered system, and thus faces the more acute privacy concerns of that class of systems.

#### *P3 Support*

One relevant factor is the relationship between a person in a place and others who might seek awareness of who’s in that place. For example, it may be acceptable for a foreman to see the precise details of who is currently at a particular work site. Relation of people to a place also is useful. Students might be willing to share their location on campus with fellow students, but not with visitors to the campus or even their family members. A lab monitor might be able to remotely monitor who is in the lab during work hours.

### **5.4 Place-Centered: Matching Virtual Spaces**

Since this class of systems involves interaction in a virtual space (that is associated with a physical place), all the privacy issues of virtual spaces are relevant here. P3-specific privacy issues arise if messages posted are tagged with the author’s location or if someone wishing to write a message must be at the relevant place to post it.

One important emerging issue is data ownership. The controversy over the “Third Voice” web service shows the importance and difficulty of these issues (<http://www.wired.com/news/business/0,1367,42803,00.html>). For P3 systems, questions include: do the owners of a physical place have any legal rights over matching virtual spaces? Suppose the matching virtual space can be used only in or near the place (e.g., if every Starbucks had its own IRC chat channel accessible only through its WiFi hotspot) – should that give the owners of the physical place extra rights over the virtual space? There certainly are circumstances where ownership of a physical place suggests special control over the virtual space. For example, a theater may wish to ensure that the display of audience messages is sorted by performance dates, a church may wish to ensure that language in its online space is in keeping with the place of worship, and an office worker may want to be able to moderate digital graffiti postings associated with his office. More generally, user rights in a virtual space could be based on their relationship to the physical space. For example, faculty at a university may be able to see different digital graffiti in a classroom than the students.

### *P3 Support*

Since user participation in virtual spaces is voluntary, can be anonymous, and access rights can be specified, privacy issues here are not as difficult as for other P3 techniques.

## **5.5 Summary: Privacy and P3-System**

Privacy concerns have been a major obstacle to the deployment of P3-System. For example, most systems have been synchronous, due in part to concerns over the privacy implications of making ephemeral movements in space leave a persistent record (as stated by the designers of ActiveBadge - Want et. al. 1992; and Social Net - Terry et. al. 2002). However, our discussion has shown that asynchronous processing enables new and potentially quite useful applications.

Clearly, many privacy concerns can only be addressed by general improvements in computer system security and trust. Nevertheless, we have shown that there are major privacy concerns distinct to P3-Systems. We also have shown the systems that exploit relevant contextual factors – properties of people and places, and relationships between them – have the potential to address these concerns.

Ultimately, as Lessig (xxx) argued, privacy must be ensured through a combination of technology, legislation, corporate policy, and social norms. Our proposal urges that technological management of privacy be more integrated with social norms. It does so by arguing that privacy management tools should incorporate factors of place and social relationships.

We further observe that people have a range of attitudes towards disclosing personal data (Nodder 2003) and that there are different ways to conceptualize the issues. Privacy analysis in CSCW has tended “to look at privacy from the perspective of individual end-users and their relationships, rather than that of large communities” (Hong et. al. 2004; p.178). However, particular communities may mandate privacy or openness policies that do not necessarily match particular individuals’ needs or desires (Etzioni 1999). An example of mandated openness in a community is the enforced display of license plates on cars (Hong et. al. 2004), and an example of mandated privacy is the “moral laws” limiting the public consumption of alcohol (Etzioni 1999, p.196). P3 privacy management tools could likewise incorporate certain access rules mandated by the community.

We conclude this section with a hypothetical scenario that summarizes the ideas by describing the movements of a Brad, a university student, over the course of two typical days.

*On Sunday, Brad wakes up at his parents' home and spends most of the day there. The rules here specify that family members can see (remotely) who is at home but nobody else can. By default, Brad's rules for disclosing his location outside of his work and study hours are that a small group of friends can know what neighborhood he is in. When he pops out to the local supermarket, the proximity matching rules of the supermarket place-type result in his mobile phone alerting him that an unidentified friend is nearby, giving him the option of revealing his identity. He does, and ends up talking briefly to an old high school friend, who is home for the weekend from an out of state college. On Monday morning, Brad heads for the university; unfortunately, he overslept and he's going to be a bit late for a scheduled meeting with a professor and two other students. Luckily, though, because of their relationship to him and to a shared place (their research group's lab space), they receive a notification that his path suggests he will be late by 15 minutes. Once Brad reaches campus, the campus rules take effect, making the fact that he is on campus available to other university students, faculty and staff. The same campus rules make his exact location on campus available to his "university friends" and the professor he has a meeting with, and keep him invisible to any other users that are not directly connected to student activities on campus.*

## **6.0 Discussion**

Until recently, information systems that systematically link people-to-people-to-geographic-place have not been considered as a related or distinct category. However, recognizing P3-Systems as a distinct class of applications lets us distinguish between basic design features and provide a conceptual framework for future development in this area. The past few sections have shown the utility of the P3-Systems framework for organizing the design space for an emerging class of systems, showing how important CSCW tasks can be supported, and suggesting ways that key privacy issues can be addressed. To realize this potential, however, difficult socio-technical challenges must be addressed, including: (1) *conceptual* issues concerning notions of place, community, and identity; (2) *algorithms* for place discovery and labeling, social matching, and place-based recommendation; and (3) *interaction techniques* for managing complex person- and place-centered information on a variety of devices.

### **6.1 Conceptual issues**

Our framework relates people to place; as such, realizing its implications forces us to three conceptual issues, one concerning place, and two concerning people, specifically community and identity.

Research from environmental psychology and architecture shows that *places* (such as schools, offices, or theaters) shape behavior; however, many questions remain unanswered, particularly from a system design perspective. For example: At what level do people carve the world up into places? How do people describe places, and to what extent does a description used by one person make sense to others? Under what circumstances do people want to know about other people in a place? And when are people willing to share information about their presence in a place? We have begun empirical investigations of these questions (Jones et al 2004).

New technologies have changed conceptions of *community*. So-called "online communities" showed that interpersonal relationships and social networks could be constructed independent of a geographic nexus and face-to-face contact. Artificial "social network" tools like Friendster and Orkut showed that people are eager to enumerate and publicize their social relationships, with little regard to privacy or concern for nuances of relationships, and without clear functional benefits. We expect the "re-placing" of community to raise other questions, such as: How can communities integrate participants who do and do not share a geographical location? How do such "mixed-reality" communities co-exist with people in their geographical locale who are not members? Do community members wish to grant different access rights

to members based on their semantic and physical relationship to the community? To what extent can such rights be enforced?

Online communities raised to prominence issues of *identity* – e.g., differential presentations of self to different audiences. Users can be anonymous or pseudonymous; they can represent themselves with textually described or graphically presented avatars; they can enact roles or assume false identities (e.g., Turkle 1995). Once interaction is re-embedded in physical space, however, such possibilities are constrained. We see this already when online interaction is intended to lead to face-to-face interaction, e.g., as in dating systems; stories of people who present themselves as younger and more attractive than they really are and thus disappoint their partner have become a cliché. Therefore, P3-Systems face questions such as: How can users retain some flexibility in their self presentations? How can systems allow anonymity and still maintain accountability?

## 6.2 Algorithms

To realize our vision of P3-Systems that support users in key tasks, more sophisticated algorithms will have to be developed. These fall into three main categories: algorithms for discovering and labeling places and expressive representations of place; algorithms for suggesting new social relationships; and algorithms for combining social and location information to recommend places and activities.

*Place Discovery, Labeling, and Representation.* Many P3-Systems need to represent places and obtain descriptions of them (such as “the Stadium Village Stub and Herbs”) and identify when a user is “at” a place. A simple, but important example is a place-enhanced Instant Messenger that could show you that (for example) your buddy Tom is in the “CoSpace Lab”. There have been algorithms for defining places and obtaining labels (Marmasse and Schmandt 2000; Hightower 2003; Ashbrook and Starner 2002). However, none of them have been empirically verified; indeed, the very standards for defining how to evaluate these algorithms have not been stated. Further, while there is sense among researchers that scalability requires algorithms to be interactive and place descriptions to be shared among users, these assumptions have not been tested either. We currently are engaged in work that addresses these issues by: the invention of an improved algorithm, the definition of a clear evaluation procedure, and a large-scale empirical evaluation study.

Further, we need sufficiently expressive representations of places, combining geometric representation, e.g., in terms of points or regions (see Shekahr and Chawla 2003, chapters 2 and 3, including the discussion of the OGIS model) and logical representations based on places, their interrelationships, and perhaps even their temporal properties. They must be able to handle places that overlap, and single geographical locations that contain multiple places. For example, a room might be used as a class room and a laboratory during the day and a theater during the evening.

Algorithms for aiding users in social navigation tasks also must be able to utilize relational and dynamic properties of places. For example: What does it mean for a place to be crowded? When is a place typically crowded? When are good times to meet new people in this place? It must also be able to the equivalent for online matching spaces: When is discourse typically active? When is it occupied by particular types of people? When are the interactions overloaded (Jones, Ravid & Rafaeli 2004)?

*Social matching.* As we have discussed, there are many ways to support users in making new acquaintances and forming new relationships. Possibilities include:

- Manual searching of user profiles in an online space.
- Online matchmaking based on user profiles, e.g., as done by dating systems such as match.com.
- Proximity-based profile matching, e.g., as done by LoveGetty or BEDD.
- Matching based on similarities in geotemporal routines; Social Net does a very simple version of this.

There are opportunities to develop social matching algorithms that exploit the various P3 techniques and even combine several techniques. For example, algorithms for matching location histories can search for common or nearby locations and similar paths, and even take time into account (e.g., it is more interesting to know that two people have been at the community soccer field at the same time than simply that they've both been there). Such algorithms will be even more effective if they use information about place types; for example, two individuals might be a good match if they both are regular churchgoers, even if they go to different churches. And as we have discussed, even when matches are computed on the basis of recurring patterns of co-location, introducing matched users to each other is more effective when the system also records – and can describe – the actual places the users had in common.

*Place-based recommenders.* Recommender systems use knowledge of user preferences and item properties to identify items users are likely to enjoy. A place-based recommender system represents and reasons with user preferences – either inferred from use or stated explicitly – about places and associated activities. For example, a system could infer user preferences for particular types of cuisine from the restaurants they frequent in their home town and use this information to recommend restaurants when they travel. Or regular visits to an organic market could be used to recommend natural foods restaurants. And, of course, collaborative techniques could recommend restaurants frequented by people who spend time in some of the same places as a user. When virtual spaces are associated with places, a common use is to allow users to enter ratings and express opinions; these in turn could be utilized by place-based recommender systems.

Recommender algorithms also would profit by taking into account the current status of a place. For example, in addition to considering a restaurant's overall quality and a user's culinary tastes, the system could base its recommendations on the wait time for a table and the ambient noise level. A significant challenge – and opportunity – is to develop recommendation algorithms that combine these diverse types of implicit and explicit user preferences and place information.

### **6.3 Interaction Techniques / User Interface Design**

Many of the tasks that P3-Systems support require users to enter, view, and manage complex data – and, what's more, to do it on devices from desktop computers to mobile phones. Thus, the invention of powerful interaction techniques and the design of effective and easy to use interfaces are key requirements. As we discussed above, the task of managing personal information privacy management is one area where these requirements clearly arise. We will not revisit this topic here; instead, we touch on issues in managing location-linked digital messages and visualizing information about places and people in a scalable way.

Letting users create a digital message that are associated with geographical places requires the development of new interface tools (for a discussion of such interfaces see Espinoza et. al. 2003). As we noted earlier, messages can be presented through chat spaces, as digital graffiti, or simply as alerts. Often a message creator wants the message to be readable only by certain individuals or groups, such as current or frequent users of a place, members of a specific work team, or those willing to do a place-sensitive task, so interfaces must make it easy to specify the appropriate permissions. And a basic design issue is simply how to associate a message with a place. Methods include: (1) labeling messages with a place, e.g., augmenting telephone caller ID information with the caller's location; (2) creating entire online places dedicated to a physical place; (3) using cartographic visualizations, i.e., visualizing messages at particular points on a map; and (4) limiting access to those actually in a physical place, e.g., GeoNotes requires both authors and readers of notes about a location to be in that location. The advantages and disadvantages of each of these approaches are only now starting to be explored.

How should people-centered or place-centered systems actually visualize their information? Techniques range from simple buddy lists, as seen in ActiveBadge (Want et. al. 1992) and Lemming (Hong & Landay 2004) to cartographic visualizations, as seen in ActiveCampus explorer (Griswold et. al. 2003) and ActiveMaps (McCarthy and Meidal 1999), to more abstract social proxies (Erickson 2003). All these approaches face issues of scalability: none have been demonstrated to work except for small groups and limited geographical areas. Perhaps this is acceptable: maybe cognitive processing limits and social constraints mean that people don't need to keep track of large groups or wide areas. However, empirical studies are necessary to decide one way or the other.

Finally, note that many P3-Systems work on small devices, typically cell phones. Thus, all the challenges of designing for devices with limited i/o capabilities must be faced. Complex visual designs, such as interactive maps, are especially difficult to offer on such devices, which often means that designers must work hard to understand the essential aspects of user tasks and invent new techniques that do work on these devices.

## Summary

We have presented the P3-framework for systems that link **People-to-People-to-Geographical-Places** and demonstrated its utility in several ways. First, we believe that simply defining the category will encourage better work by making researchers aware of related work, the range of design techniques, and representative design problems. Second, we demonstrated that existing systems can be categorized by the framework. Third, we showed how central CSCW tasks arise in the P3 context, and how different P3 techniques can address them. Fourth, we showed how the key CSCW and context-aware issue of privacy takes different forms in different types of P3-Systems and suggested types of information that systems can use to help users address the issue. Finally, we identified a set of socio-technical challenges that researchers and designers must confront for the potential of P3-Systems to be realized.

## Acknowledgements

This material is based on work supported by the United States National Science Foundation under Grant Numbers DST 0308018 and DST 0307459. Any opinions, findings and conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect those of the National Science Foundation.

## References

- Allen, T. J. (1977): *Managing the Flow of Technology*. MIT Press.
- Ashbrook, D. and Starner, T. (2002): Learning Significant Locations and Predicting User Movement with GPS. *Proceedings of IEEE Sixth International Symposium on Wearable Computing (ISWC02)*.
- Aurigi, A., (2000): Digital city or urban simulator? In *Digital cities: Technologies, experiences, and future perspectives. Lecture Notes in Computer Science 1765*, T. Ishida and K. Isbister (eds), 33–44. New York: Springer-Verlag.
- Begole J., Tang, J., Smith, R., and Yankelovich, N., (2002): Work rhythms: Analyzing visualizations of awareness histories of distributed groups. *Proceedings of the 2002 ACM Conference on Computer-Supported Cooperative Work (CSCW 2002)*, New Orleans, USA, Nov 16-20, ACM Press, NY, 334-343.
- Borovoy, R., Martin, F., Vemuri, S., Resnick, M., Silverman, B., and Hancock, C., (1998): Meme tags and community mirrors: Moving from conferences to collaboration. *Proceedings of the ACM 1998 Conference on Computer Supported Cooperative Work (CSCW'98)*, 159-168.

- Brown, P. J., Bovey, J. D. & Chen, X. (1997): Context-aware applications: From the laboratory to the marketplace. *IEEE Personal Communications*, 4(5), 58-64.
- Brown, P., (1995): The Electronic Post-it Note: A metaphor for mobile computing applications, *IEEE Colloquium, Mobile Computing and Its Applications*, <http://www.cs.ukc.ac.uk/projects/mobicomp/Fieldwork/Papers/>
- Burrell, J. and Gay, G.K., (2001): *E-Graffiti*: evaluating real-world use of a context-aware system, submitted to *Interacting with Computers-social issue on universal usability*.
- Cadiz, J.J., Venolia, G., Jancke, G., & Gupta, A. (2002): Designing and deploying an information awareness interface. In *Proceedings of CSCW 2002*. Pp. 313-323.
- Carroll, J. M., Rosson, M. B., (2003): A trajectory for community networks. Special Issue: ICTs and Community Networking. *The Information Society*, 19, 5.
- Dahlberg, P., Ljungberg, F., Sanneblad J., (2000): Supporting opportunistic communication in mobile settings. Extended abstracts of *ACM 2000 Conference on Human Factors in Computing Systems*.
- Dey, A., (1998): Context-aware computing: The CyberDesk project. *Proceedings of the AAAI 1998 Spring Symposium on Intelligent Environments*, 51-54. Menlo Park, CA: AAAI Press.
- Dey A., Abowd, G., Salber, D. (2001): A conceptual framework and a toolkit for supporting the rapid prototyping of context-aware applications. *Special issue on context-aware computing in the Human-Computer Interaction (HCI) Journal*, Volume 16 (2-4), 2001, pp. 97-166.
- Donath, J., Karahalios, K., and Viegas, F. (1999): Visualizing conversations. In *Proceedings of HICSS-32*, Maui, HI.
- Erickson, T. (2003): Designing Visualizations of Social Activity: Six Claims, in *Extended Abstracts of CHI 2003*.
- Esbjörnsson M., Juhlin O., and Östergen M., (2003): Mobility: Motorcycling and social interaction: design for the enjoyment of brief traffic encounters. *Proceedings of the 2003 International ACM SIGGROUP Conference on Supporting Group Work*.
- Espinoza, F., Persson, P., Sandin, A., Nyström, H., Cacciatore, E. & Bylund, M. (2001): GeoNotes: Social and Navigational Aspects of Location-Based Information Systems. *Proceedings of Ubicomp 2001*, 2-17.
- Etzioni, A., (1999) *The Limits of Privacy*. New York: Basic Books.
- Franck, K., & Schneekloth L., (1994): *Ordering Space: Types in Architecture and Design*. New York: Van Nostrand Reinhold. General Design.
- Freeman, L. (1998): Computer Programs in Social Network Analysis. *Connections* 11, 26-31.
- Garfinkel, H. (1967): *Studies in Ethnomethodology*. Prentice-Hall.
- Genereux, R.L., Ward, L.M., Russell, J.A. (1983): The behavioral component in the meaning of places. *Journal of Environmental Psychology*, 3, 43-55.
- Gillepsie, A. and Williams, H., (1988): Telecommunications and the reconstruction of regional comparative advantage, *Environment and Planning*, 20, 1311-1321.
- Granovetter, M. (1973) "The Strength of Weak Ties. *American Journal of Sociology* 78, 6, 1360-1380.
- Griswold, W., Shanahan, G., Brown, S., Boyer, R., Ratto, M., Shapiro, R., and Truong, T., (2003) *ActiveCampus - Experiments in community-oriented ubiquitous computing*, Technical Report CS2003-0750, *Computer Science and Engineering*, UC San Diego (<http://www-cse.ucsd.edu/~wgg/papers.html#ubi>).

- Harper., R., (1992): Looking at ourselves: an examination of the social organisation of two research laboratories, *Proceedings of the ACM Conference on Computer-Supported Cooperative Work*, 330-337, November 01-04, 1992, Toronto, Ontario, Canada
- Hightower, J. (2003): From Position to Place, in *Proceedings of The 2003 Workshop on Location-Aware Computing*, pp. 10-12, Oct. 2003.
- Hindus, D., Mainwaring, S. D., Leduc, N., Hagström, A. E. and Bayley, O. (2001): Casablanca: Designing Social Communication Devices for the Home. In: *Proceedings of CHI 2001*, pp. 325- 332, ACM Press.
- Hong, J. and Landay, J. (2004): An Architecture for Privacy-Sensitive Ubiquitous Computing. *Proceedings of The Second International Conference on Mobile Systems, Applications, and Services (Mobisys 2004)*.
- Isaacs, E., Walendowski, A., and Ranganathan, D., (2002): Hubbub: A sound-enhanced mobile instant messenger that supports awareness and opportunistic interactions, *Proceedings of CHI 2002*, 179-186.
- Ishida, T., (2002): Digital city Kyoto: Social information infrastructure for everyday life, *Communications of the ACM*, 45, 7.
- Jones, Q., and Grandhi S.A., (2004) Supporting Proximate Communities with P3-Systems: Technology for Connecting People-To-People-To-Geographical-Places. To Appear In: *The Interaction Society: Practice, Theories, & Supportive Technologies*. Edited by M. Weiberg, Idea Group, Inc. New York.
- Jones, Q., Grandhi S.A., Terveen L., Whittaker S., and Chivakula K., (2004). Putting Systems into Place: A Qualitative Study of Design Requirements for Location-Aware Community Systems. *Proceedings of tThe ACM's 2004 Conference on Computer Supported Cooperative Work*. New York: ACM Press
- Jones, Q., Ravid G., and Rafaeli S., (2004) Information Overload and the Message Dynamics of Online Interaction Spaces: A Theoretical Model and Empirical Exploration. *Information Systems Research*. Vol.15, No.2, June 2004, pp.194 –210.
- Kautz, H., Selman, B., and Shah, M. (1997): ReferralWeb: Combining Social Networks and Collaborative Filtering, in *Communications of the ACM*, 30(3), March 1997.
- Kramer, B., (1995): Classification of generic places: Explorations with implications for evaluation. *J of Environmental Psychology*, 15, 3-22.
- Kraut R., Streeter L., (1995) Coordination in Software Development. *Communication of the ACM* 38(3): 69-81.
- Kraut, R., Fish, R., Root, R., and Chalfonte, B., (1990): Informal communication in organizations: Form, function and technology. In *Reading in group-ware and computer supported cooperative work: Assisting human to human collaboration*, R. Baecker, (ed). Morgan Kaufmann Publishers Inc. San Francisco, CA, 287-314.
- Kraut, R., Patterson, M., Lundmark, V., Kiesler, S., Mukhopadhyay, T., & Scherlis, W. (1998): Internet paradox: A social technology that reduces social involvement and psychological well-being? *American Psychologist*, 53(9), 1017-1031.
- Langheinrich, M., Privacy by Design - Principles of Privacy-Aware Ubiquitous Systems, *Proceedings of the 3rd international conference on Ubiquitous Computing*, p.273-291, September 30-October 02, 2001, Atlanta, Georgia, USA
- Langheinrich, M., A Privacy Awareness System for Ubiquitous Computing Environments, *Proceedings of the 4th international conference on Ubiquitous Computing*, p.237-245, September 29-October 01, 2002, Göteborg, Sweden

- Garton, L., Haythornthwaite C., and Wellman B., (1997) "Studying Online Social Networks." *Journal of Computer Mediated Communication* 3 (1), June:  
<http://www.usc.edu/dept/annenberg/vol3/issue1/garton.html>
- Lessig, L. (1998) The Architecture of Privacy. In *Proceedings of Taiwan NET'98*. Taipei, Taiwan.
- Marmasse N., and Schmandt, C., (2000): Location-aware information delivery with ComMotion, in *HUC 2000*.
- McCarthy, J.F., D H. Nguyen, A.M. Rashid and S. Soroczak. (2003): Proactive Displays & The Experience UbiComp Project. *Adjunct Proceedings of UbiComp 2003*.
- McCarthy, J.S., Meidal, E.S., (1999): ACTIVE MAP: A visualization tool for location awareness to support informal interactions. *HUC 1999*, 158-170.
- McDonald, D. W. (2003): Recommending Collaboration with Social Networks: A Comparative Evaluation. *Proceedings of the 2003 ACM Conference on Human Factors in Computing Systems (CHI'03)*, ACM Press. pp. 593-600.
- Milgram, S. (1977): *The individual in a social world : essays and experiments*. Reading, Mass.: Addison-Wesley Pub. Co.
- Nardi, B., Whittaker, S., and Schwarz, H. (2000): It's Not What You Know, It's Who You Know: Work in the Information Age. *First Monday*, [www.firstmonday.org](http://www.firstmonday.org).
- Nelson, L., Ramsey, C.E., and Verner, C., (1960): *Community structure and change*, The Macmillan Co., New York.
- Nodder, C., (2003) Say versus Do; building a trust framework through users' actions, not their words. 2003, Workshop on UbiComp communities: privacy as boundary negotiation.
- Olson, G.M., & Olson, J.S. (2000): Distance matters. *Human-Computer Interaction*, 15, 139-179.
- Palen, L. and J. Grudin (2002): Discretionary Adoption of Group Support Software: Lessons rom Calendar Applications. In B.E. Munkvold, *Implementing Collaboration Technologies in Industry*. Springer Verlag, pp. 159-180.
- Palen, L. and P. Dourish. (2003): Unpacking "Privacy" for a Networked World. *Proceedings CHI 2003*.
- Parks, M.R., and Robert, L.D. (1998): Making MOOsic: The Development of Personal Relationships Online and a Comparison to their Offline Counterparts, *Journal of Social and Personal Relationships* 15, 517-537.
- Paulos, E., Goodman, E., (2004): The familiar stranger: anxiety, comfort, and play in public places, In *Proceedings of CHI'94 Conference on Computer Human Interaction*, Vienna, Austria ACM Press New York, NY, USA 223 – 230.
- Reuters / Wired News (1998): Bleep at First Sight: *LoveGety*  
<http://www.wired.com/news/culture/0,1284,12342,00.html>
- Sack, W. (2000): Conversation Map: A Content-Based Usenet Newsgroup Browser. *Proceedings of the 2000 International Conference on Intelligent User Interfaces (IUI'2000)*, ACM Press. pp. 233-240.
- Schilit, B., Adams, N. & Want, R. (1994): Context-aware computing applications. *Proceedings of*
- Schuler, D., (1994): Community networks: Building a new participatory medium. *Communications of the ACM* 37, 1, 38-51
- Shekhar, S., and Chawla, S. (2003): *Spatial Databases: A Tour*. Prentice Hall.
- Smith, M. A. and Fiore, A. T. (2001): Visualization Components for Persistent Conversations. *Proceedings of the 2001 ACM Conference on Human Factors in Computing Systems (CHI'01)*, ACM Press. pp. 136-143.

- Spohrer, J., (1999): Information in places. *IBM Systems Journal*, 38, 4, 602-625.
- Stein, M., (1960): *The eclipse of community*, Princeton University Press, Princeton, NJ.
- Straits Times (July 3, 2004) In BEDD with strangers: online newspaper (<http://straitstimes.asia1.com.sg/geny/story/0,4386,259731,00.html>).
- Terry, M., Mynatt, E. D., Ryall, K., and Leigh, D., (2002): *Social Net*: Using patterns of physical proximity over time to infer shared interests. In *CHI 2002 Extended Abstracts*.
- Terveen, L., and McDonald D., (forthcoming). Social Matching: A Framework and Research Agenda. Submitted to The ACM's Transactions of Computer Human Interaction.
- Turkle, S. (1995) *Life on the Screen: Identity in the Age of the Internet*, Simon & Schuster Trade.
- Walther, J. B. (1992): Interpersonal effects in computer-mediated interaction: A relational perspective. *Communication Research*, 19, 52-90.
- Walther, J.B., Anderson, J.F., & Park, D.W. (1994): Interpersonal effects in computer-mediated interaction: A meta-analysis of social and antisocial communication. *Communication Research*, 21, 460-487
- Want, R., Hopper, A., (1992): Active badges and personal interactive computing objects. *IEEE Trans. on Consumer Electronics*, 38(1) 10--20.
- Want, R., Hopper, A., Falcao, V., Gibbons, J., (1992): The active badge location system, *ACM Transactions on Information Systems (TOIS)*, 10, 1., 91-102
- Wasserman, S. and Faust, K. (1994): *Social Network Analysis*. Cambridge University Press, Cambridge.
- Weilenmann, A. and Holmquist, L.E.(1999): Hummingbirds Go Skiing: Using Wearable Computers to Support Social Interaction. *Proc. IEEE International Symposium on Wearable Computing (ISWC) '99*, IEEE Press, 1999.
- Wellman, B., Quan Haase, A., Witte, J., and Hampton K., (2001): Does the Internet increase, decrease, or supplement social capital? Social networks, participation, and community commitment. In the special issue "The Internet in Everyday Life", *American Behavioral Scientist*, 45, 3, 437-456.
- Westin, A.F.,(1967): *Privacy and Freedom*. New York NY: Atheneum, 1967.
- Whittaker S., Jones Q., and Terveen L. (2002). Managing long term communications: Conversation and Contact Management. In: *Proceedings of the 35rd Annual Hawaii International Conference on System Sciences*, IEEE, Big Island, Hawaii.
- Whittaker S., Jones Q., Nardi B, Terveen L., Creech M., Terveen L., Isaacs E., and Hainsworth J., (Forthcoming) "ContactMap: using personal social networks to organize communication in a social desktop": Submitted to The ACM's Transactions of Computer Human Interaction.
- Whittaker, S., Frohlich, D., and Daly-Jones, O. (1994): Informal communication: what is it like and how might we support it? In *Proceedings of CHI'94 Conference on Computer Human Interaction*, Boston, USA, Eds., C. Plaisant, NY: ACM Press, 130-137.
- Whyte, W. H. (1956): *The Organization Man*. Simon and Schuster, New York.
- Wiberg, M (2001) RoamWare: An integrated architecture for seamless interaction in between mobile meetings. Proceedings of the 2001 International ACM SIGGROUP Conference on Supporting Group Work. ACM Press, Boulder, Colorado, pp 288-297.
- Wiberg, M. (2004) FolkMusic: A mobile peer-to-peer entertainment system. HICSS37. Hawaii, USA.